

DELTEC AGM BATTERY WARRANTY

This AGM battery is warranted by Deltec Power Distributors (Pty) Ltd for a period of twelve months, from the date of sale, to be free of defect in material and workmanship only.

In the event of any defect in material and / or workmanship arising within the said twelve month period, Deltec Power Distributors (Pty) Ltd undertakes in its sole discretion and subject to the following conditions to repair the defect or replace the battery at its own cost and without charge to the purchaser:

1. Any claim in terms of this warranty must be made as soon as the purchaser becomes aware of the defect.
2. The purchaser must return the defective battery to Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / dealers for warranty inspection and testing, as per the instructions from its principals.
3. The purchaser must exhibit satisfactory proof of purchase of the battery from Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors.

The warranty on the repaired or replaced battery will extend from the original date of sale of the defective battery.

This warranty shall not apply where this battery is used in an application whose specifications requires a battery of a different size / ampere hour capacity to this battery or where this battery is fitted below the suggested ampere hour capacity (at the 20 hour rate) of the system that it is intended for, or where this battery is damaged due to negligence, improper use / application, abuse, incorrect or over charging, sulfation, whether due to a faulty electrical system or charging apparatus, or battery management system, excessive / abnormal wear and tear, where the battery is fitted close to a heat source that raises the temperature on a constant basis above the levels as prescribed by the manufacturer, environmental conditions or any other damage arising from accident, civil commotion, labour / political unrest or rioting.

No liability whatsoever will be accepted by Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / dealers / agents for any damage or losses howsoever caused and of whatsoever nature whether in contract and or, direct, or consequential or otherwise as sustained by the purchaser or any other person resulting from the failure or defect of this battery.

CLAIMS WILL NOT BE ACCEPTED UNDER THE FOLLOWING CONDITIONS:

- Proof of purchase cannot be substantiated.
- The battery is out of the warranty period.
- The battery has been fitted to a system for which it was not intended.
- The battery was used for the incorrect application.
- The battery was used for a scrubber, sweeper, golf cart, jet ski, wheel chair or radio.
- The battery was incorrectly installed.
- The battery was allowed to stand for periods with or without current draw and has been subjected to long term discharge and has resulted in the battery sulfating.
- Battery terminals are damaged by melting and arcing, or are bent, twisted, chipped or otherwise distorted/damaged and or corroded.
- The battery is dry due to overcharging or excessive tilting.
- The battery is flat.
- The battery casing is cracked or otherwise damaged.

- The battery has been damaged due to overcharging, system failure which can damage the battery in anyway, loose terminals causing sub standard connections, defective solar panels or other sources of energy generation equipment or battery management systems.
- Non-conforming cable or poor quality cabling is used.
- Non-conforming or poor quality lugs are used.
- The battery has been discharged to below the manufacturer's depth of discharge curve.
- The battery is used in a system that does not have automatic protection against over or under charging.
- The battery casing is distorted in anyway.
- The batteries are placed in a room/rack/vehicle that does not have mechanical extraction and the temperature is above 22 degrees celcius for a prolonged period of time.
- Deltec has not seen the application where the battery is fitted.

DELTEC AJAX BATTERY WARRANTY

This Ajax automotive battery is warranted by Deltec Power Distributors (Pty) Ltd for a period of twelve months as from the date of sale, to be free of defect in material and workmanship only.

In the event of any defect in material and / or workmanship arising within the said twelve month period, Deltec Power Distributors (Pty) Ltd undertakes in its sole discretion and subject to the following conditions to repair the defect or replace the battery at its own cost and without charge to the purchaser:

1. Any claim in terms of this warranty must be made as soon as the purchaser becomes aware of the defect.
2. The purchaser must return the defective battery to Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors for warranty inspection and testing, as per the instructions from its principals.
3. The purchaser must exhibit satisfactory proof of purchase of the battery from Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors.

The warranty on the repaired or replaced battery will extend from the original date of sale of the defective battery.

This warranty shall not apply where this battery is used in a vehicle whose specifications requires a battery of a different size / ampere hour capacity to this battery or where this battery is fitted below the suggested ampere hour capacity (at the 20 hour rate) as specified by the manufacturer or, in the case of original equipment installed by a vehicle manufacturer, not according to their officially specified capacity or where this battery is damaged due to negligence, improper use / application, abuse, incorrect or over charging, sulfation, whether due to a faulty electrical system or charging apparatus, excessive / abnormal wear and tear, use in a vehicle fitted with additional or non-standard electrical extras, where the battery is fitted close to a heat source that raises the temperature on a constant basis above the levels as prescribed by the manufacturer, environmental conditions or any other damage arising from accident, civil commotion, labour / political unrest or rioting.

No liability whatsoever will be accepted by Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors/ agents for any damage or losses howsoever caused and of whatsoever nature whether in contract and or, direct, or consequential or otherwise as sustained by the purchaser or any other person resulting from the failure or defect of this battery.

CLAIMS WILL NOT BE ACCEPTED UNDER THE FOLLOWING CONDITIONS:

- Proof of purchase cannot be substantiated.
- The battery is out of the warranty period.
- The battery has been fitted to a vehicle for which it was not intended.
- The battery was used for the incorrect application.
- The battery was used for a scrubber, sweeper, golf cart, wheel chair, radio and marine application.
- The battery was incorrectly installed.
- The battery was allowed to stand for periods with or without current draw and has been subjected to long term discharge and has resulted in the battery sulfating.
- Battery terminals are damaged by melting and arcing, or are bent, twisted, chipped, or otherwise distorted/damaged.
- The battery is dry due to overcharging, or excessive tipping.

- The battery is flat.
- The battery casing is cracked or otherwise damaged.
- The battery has been discharged to below the manufacturer's depth of discharge curve.

DELTEC LEAD CRYSTAL BATTERY WARRANTY

This lead crystal battery is warranted by Deltec Power Distributors (Pty) Ltd for a period of thirty six months, from the date of sale, to be free of defect in material and workmanship only.

In the event of any defect in material and / or workmanship arising within the said thirty six month period, Deltec Power Distributors (Pty) Ltd undertakes in its sole discretion and subject to the following conditions to repair the defect or replace the battery at its own cost and without charge to the purchaser:

1. Any claim in terms of this warranty must be made as soon as the purchaser becomes aware of the defect.
2. The purchaser must return the defective battery to Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / dealers for warranty inspection and testing, as per the instructions from its principals.
3. The purchaser must exhibit satisfactory proof of purchase of the battery from Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors.

The warranty on the repaired or replaced battery will extend from the original date of sale of the defective battery.

This warranty shall not apply where this battery is used in An application whose specifications requires a battery of a different size / ampere hour capacity to this battery or where this battery is fitted below the suggested ampere hour capacity (at the 20 hour rate) of the system that it is intended for, or where this battery is damaged due to negligence, improper use / application, abuse, incorrect or over charging, sulfation, whether due to a faulty electrical system or charging apparatus, or battery management system, excessive / abnormal wear and tear, where the battery is fitted close to a heat source that raises the temperature on a constant basis above the levels as prescribed by the manufacturer, environmental conditions or any other damage arising from accident, civil commotion, labour / political unrest or rioting.

No liability whatsoever will be accepted by Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / dealers / agents for any damage or losses howsoever caused and of whatsoever nature whether in contract and or, direct, or consequential or otherwise as sustained by the purchaser or any other person resulting from the failure or defect of this battery.

CLAIMS WILL NOT BE ACCEPTED UNDER THE FOLLOWING CONDITIONS:

- Proof of purchase cannot be substantiated.
- The battery is out of the warranty period.
- The battery has been fitted to a system for which it was not intended.
- The battery was used for the incorrect application.
- The battery was incorrectly installed.
- The battery was allowed to stand for periods with or without current draw and has been subjected to long term discharge and has resulted in the battery sulfating.
- Battery terminals are damaged by melting and arcing, or are bent, twisted, chipped or otherwise distorted/damaged and or corroded.
- The battery is flat.
- The battery casing is cracked or otherwise damaged.

- The battery has been damaged due to overcharging, system failure which can damage the battery in anyway, loose terminals causing sub standard connections, defective solar panels or other sources of energy generation equipment or battery management systems.
- Non-conforming cable or poor quality cabling is used.
- Non-conforming or poor quality lugs are used.
- The battery has been discharged to below the manufacturer's depth of discharge curve.
- The battery is used in a system that does not have automatic protection against over or under charging
- The battery casing is distorted in anyway.
- Deltec has not seen the application where the battery is fitted.

DELTEC MOTORCYCLE BATTERY WARRANTY

This motorcycle battery is warranted by Deltec Power Distributors (Pty) Ltd for a period of twelve months as from the date of sale, to be free of defect in material and workmanship only.

In the event of any defect in material and / or workmanship arising within the said twelve month period, Deltec Power Distributors (Pty) Ltd undertakes in its sole discretion and subject to the following conditions to repair the defect or replace the battery at its own cost and without charge to the purchaser:

1. Any claim in terms of this warranty must be made as soon as the purchaser becomes aware of the defect.
2. The purchaser must return the defective battery to Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / dealers for warranty inspection and testing, as per the instructions from its principals.
3. The purchaser must exhibit satisfactory proof of purchase of the battery from Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors.

The warranty on the repaired or replaced battery will extend from the original date of sale of the defective battery.

This warranty shall not apply where this battery is used in a vehicle whose specifications requires a battery of a different size / ampere hour capacity to this battery or where this battery is fitted below the suggested ampere hour capacity (at the 20 hour rate) as specified by the manufacturer or, in the case of original equipment installed by a vehicle manufacturer, not according to their officially specified capacity or where this battery is damaged due to negligence, improper use / application, abuse, incorrect or over charging, sulfation, whether due to a faulty electrical system or charging apparatus, excessive / abnormal wear and tear, use in a vehicle fitted with additional or non-standard electrical extras, where the battery is fitted close to a heat source that raises the temperature on a constant basis above the levels as prescribed by the manufacturer, environmental conditions or any other damage arising from accident, civil commotion, labour / political unrest or rioting.

No liability whatsoever will be accepted by Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors / agents for any damage or losses howsoever caused and of whatsoever nature whether in contract and or, direct, or consequential or otherwise as sustained by the purchaser or any other person resulting from the failure or defect of this battery.

CLAIMS WILL NOT BE ACCEPTED UNDER THE FOLLOWING CONDITIONS:

- Proof of purchase cannot be substantiated.
- The battery is out of the warranty period.
- The battery has been fitted to a vehicle for which it was not intended.
- The battery was used for the incorrect application.
- The battery was used for a scrubber, sweeper, golf cart, jet ski, wheel chair or radio.
- The battery was incorrectly installed.
- The battery was allowed to stand for periods with or without current draw and has been subjected to long term discharge and has resulted in the battery sulfating.
- Battery terminals are damaged by melting and arcing, or are bent, twisted, chipped, or otherwise distorted/damaged.
- The battery is dry due to overcharging, or excessive tipping.

- The battery is flat.
- The battery casing is cracked or otherwise damaged.
- The battery has been damaged due to overcharging or under charging, loose terminals causing sub standard connections.
- The battery has been discharged to below the manufacturer's depth of discharge curve.
- Battery acid is used other than that as supplied by Deltec Power Distributors (Pty) Ltd.

DELTEC STARTER BATTERY WARRANTY

This Deltec-branded battery is warranted by Deltec Power Distributors (Pty) Ltd for a period of twelve months in an automotive application as from the date of sale, to be free of defect in material and workmanship only.

In the event of any defect in material and / or workmanship arising within the said twelve month period, Deltec Power Distributors (Pty) Ltd undertakes in its sole discretion and subject to the following conditions to repair the defect or replace the battery at its own cost and without charge to the purchaser:

1. Any claim in terms of this warranty must be made as soon as the purchaser becomes aware of the defect.
2. The purchaser must return the defective battery to Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / dealers for warranty inspection and testing, as per the instructions from its principals.
3. The purchaser must exhibit satisfactory proof of purchase of the battery from Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors.

The warranty on the repaired or replaced battery will extend from the original date of sale of the defective battery.

This warranty shall not apply where this battery is used in a vehicle whose specifications requires a battery of a different size / ampere hour capacity to this battery or where this battery is fitted below the suggested ampere hour capacity (at the 20 hour rate) as specified by the manufacturer or, in the case of original equipment installed by a vehicle manufacturer, not according to their officially specified capacity or where this battery is damaged due to negligence, improper use / application, abuse, incorrect or over charging, sulfation, whether due to a faulty electrical system or charging apparatus, excessive / abnormal wear and tear, use in a vehicle fitted with additional or non-standard electrical extras, where the battery is fitted close to a heat source that raises the temperature on a constant basis above the levels as prescribed by the manufacturer, environmental conditions or any other damage arising from accident, civil commotion, labour / political unrest or rioting.

No liability whatsoever will be accepted by Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors / agents for any damage or losses howsoever caused and of whatsoever nature whether in contract and or, direct, or consequential or otherwise as sustained by the purchaser or any other person resulting from the failure or defect of this battery.

CLAIMS WILL NOT BE ACCEPTED UNDER THE FOLLOWING CONDITIONS:

- Proof of purchase cannot be substantiated.
- The battery is out of the warranty period.
- The battery has been fitted to a vehicle for which it was not intended.
- The battery was used for the incorrect application.
- The battery was used for a scrubber, sweeper, golf cart, wheelchair, jet ski, radio or boat.
- The battery was incorrectly installed.
- The battery was allowed to stand for periods with or without current draw and has been subjected to long term discharge and has resulted in the battery sulfating.
- Battery terminals are damaged by melting and arcing, or are bent, twisted, chipped or otherwise distorted/damaged.
- The battery is dry due to overcharging, or excessive tipping.

- The battery is flat.
- The battery casing is cracked or otherwise damaged.
- The battery has been damaged due to overcharging, or under charging, loose terminals causing sub standard connections.
- The battery has been discharged to below the manufacturer's depth of discharge curve.
- The battery casing is distorted or damaged in anyway.

DELTEC VARTA BATTERY WARRANTY

This Varta automotive battery is warranted by Deltec Power Distributors (Pty) Ltd for a period of twenty-four months as from the date of sale, to be free of defect in material and workmanship only.

In the event of any defect in material and / or workmanship arising within the said twenty-four month period, Deltec Power Distributors (Pty) Ltd undertakes in its sole discretion and subject to the following conditions to repair the defect or replace the battery at its own cost and without charge to the purchaser:

1. Any claim in terms of this warranty must be made as soon as the purchaser becomes aware of the defect.
2. The purchaser must return the defective battery to Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors for warranty inspection and testing, as per the instructions from its principals.
3. The purchaser must exhibit satisfactory proof of purchase of the battery from Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors.

The warranty on the repaired or replaced battery will extend from the original date of sale of the defective battery.

This warranty shall not apply where this battery is used in a vehicle whose specifications requires a battery of a different size / ampere hour capacity to this battery or where this battery is fitted below the suggested ampere hour capacity (at the 20 hour rate) as specified by the manufacturer or, in the case of original equipment installed by a vehicle manufacturer, not according to their officially specified capacity or where this battery is damaged due to negligence, improper use / application, abuse, incorrect or over charging, sulfation, whether due to a faulty electrical system or charging apparatus, excessive / abnormal wear and tear, use in a vehicle fitted with additional or non-standard electrical extras, where the battery is fitted close to a heat source that raises the temperature on a constant basis above the levels as prescribed by the manufacturer, environmental conditions or any other damage arising from accident, civil commotion, labour / political unrest or rioting.

No liability whatsoever will be accepted by Deltec Power Distributors (Pty) Ltd or its duly authorised distributors / franchisors / agents for any damage or losses howsoever caused and of whatsoever nature whether in contract and or, direct, or consequential or otherwise as sustained by the purchaser or any other person resulting from the failure or defect of this battery.

CLAIMS WILL NOT BE ACCEPTED UNDER THE FOLLOWING CONDITIONS:

- Proof of purchase cannot be substantiated.
- The battery is out of the warranty period.
- The battery has been fitted to a vehicle for which it was not intended.
- The battery was used for the incorrect application.
- The battery was used for a scrubber, sweeper, golf cart, wheel chair, radio or marine application.
- The battery was incorrectly installed.
- The battery was allowed to stand for periods with or without current draw and has been subjected to long term discharge and has resulted in the battery sulfating.
- Battery terminals are damaged by melting and arcing, or are bent, twisted, chipped, or otherwise distorted/damaged.
- The battery is dry due to overcharging, or excessive tipping.

- The battery is flat.
- The battery casing is cracked or otherwise damaged.
- The battery has been damaged due to loose terminals.
- The battery has been discharged to below the manufacturer's depth of discharge curve.